



Pressure Injectable Arrowg+ard Blue Plus® Four-Lumen CVC

REF **CDC-42854-P1A**

8.5 Fr. | **4** Lumen | **16** cm catheter length | **.032** inch dia. spring-wire guide

Contents:

- | | | |
|---|---|---|
| <ul style="list-style-type: none">1: Arrowg+ard Blue Plus®¹ Four-Lumen Catheter: 8.5 Fr. (3.0 mm OD) x 16 cm, Pressure Injectable1: Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle1: Injection Needle: SafetyGlide™² 25 Ga. x 1" (2.54 cm)1: Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)1: Pressure Transduction Probe1: Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe1: Injection Needle: SafetyGlide™² 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe1: Syringe: 3 mL Luer-Lock1: Tissue Dilator: 10 Fr. (3.5 mm) x 10.2 cm | <ul style="list-style-type: none">1: 5 mL 1% Lidocaine HCl Solution and Alcohol Prep1: 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®³ One-Step Solution with Hi-Lite Orange™ Tint1: SecondSite™ Adjustable Hub: Fastener1: SecondSite™ Adjustable Hub: Catheter Clamp1: SharpsAway® II Locking Disposal Cup1: SharpsAway® Disposal Cup1: Maximal Barrier Drape™ with 4" fenestration1: Needle Holder1: Safety Scalpel: #111: Flow Rate Information Card with Injection Log1: Sterile Procedure Sign1: Medication Label: 1% Lidocaine2: Gauze Pad: 2" x 2" (5 cm x 5 cm)5: Gauze Pad: 4" x 4" (10 cm x 10 cm) | <ul style="list-style-type: none">1: Surgical Apparel: Impervious Gown1: Surgical Apparel: Bouffant Cap1: Surgical Apparel: Mask with Eye Shield1: Suture: 3-0 Silk with Curved Needle <p>¹Licensed under US Patent No. 7,329,412.
²A trademark of Becton, Dickinson and Company.
³A registered trademark of CareFusion or one of its subsidiaries.</p> |
|---|---|---|

Contraindications: The Arrowg+ard Blue Plus antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs (refer to product instructions for references).

Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.



Lumen

	Priming Volume* (mL)	Flow Rate† (mL/hr)	MAX Pressure Injection Flow Rate‡ (mL/sec)
Distal (16 Ga.)	0.38	3350	5
Medial 1 (14 Ga.)	0.45	6000	10
Medial 2 (18 Ga.)	0.35	1750	not rated
Proximal (18 Ga.)	0.38	1950	not rated

* Priming volumes are approximate and are done without accessories.

† Based on 100 cm head height.

‡ Pressure injection flow rates are determined using media of 11.8 centipoise (cP) viscosity, with 152 cm administration set tubing.



Not made with
natural rubber latex



Store between
20-25°C (68-77°F).

C-42854-300A (2020-12)