
ARRC





(IPNXXXXXX)

16 cm catheter length

.032 inch dia. spring-wire quide

Arrowg+ard Blue Plus® Three-Lumen CVC

- Arrowg+ard Blue Plus®1 Three-Lumen Catheter: 7 Fr. (2.5 mm OD)
- Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End "J" Tip on Other) with Arrow
- Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW
- Pressure Transduction Probe
- Arrow® Raulerson Spring-Wire Introduction Syringe: 5 mL Tissue Dilator: 8.5 Fr. (2.8 mm) x 10.2 cm

- Dust Cap: Non-Vented
 SecondSite™ Adjustable Hub: Fastener
 SecondSite™ Adjustable Hub: Catheter Clamp
- ¹Licensed under US Patent No. 7,329,412.

All components are CE 2797 unless otherwise noted.

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU

Not made with natural rubber latex.

Store below 25°C (77°F). Avoid excessive heat above 40°C (104°F). Fluid path components are non-pyrogenic.

Contraindications: The Arrowg+ard Blue Plus antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs.























Distal (16 Ga.) 0.38 2490	Gravity Flow Rate† (mL/hr)	Priming Volume* (mL)	Lumen
Proximal (18 Ga.) 0.39 1328	1162	0.37	Medial (18 Gá.)

^{*} Priming volumes are approximate and are done without accessories.



EU Authorized Representative and Importer:



Teleflex Medical IDA Business and Technology Park Dublin Road, Athlone 2797 Co. Westmeath, Ireland

All components are CE 2797 unless otherwise noted.

Arrow International LLC Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA

Product of xxx Packaged in xxx





(01)XXXXXXXXXXXXXXX (11)YYMMDD (10)Lot Number

)feleflex® www.teleflex.com

LBL051209 R02 (2024-09)




REF CV-42703-E

LOT Lot Number

YYY-MM-DD

16 cm catheter length

.032 inch dia. spring-wire guide





[†] Flow rate values are approximate and are determined using deionized water at 100 cm head height.