# ARROW



**REF AK-45703-BCDC** 

7<sup>Fr.</sup> 3<sup>Lumen</sup>

SharpsAway<sup>®</sup> Disposal Cup Drape: 41" x 55" with 4" fenestration

<sup>1</sup>Licensed under US Patent No. 7.329.412.

Drape: 41 x 55 Win 4 referentiation
 Safety Scalpel: #11
 Gauze Pad: 2" x 2" (5 cm x 5 cm)
 Gauze Pad: 4" x 4" (10 cm x 10 cm)
 Suture: 3-0 Braided Silk with Straight Needle

<sup>2</sup>A registered trademark of CareFusion or one of its subsidiaries.



## Arrowg+ard Blue Plus<sup>®</sup> Three-Lumen CVC

2

#### Contents

- Arrowg+ard Blue Plus®1 Three-Lumen Catheter: 7 Fr. (2.5 mm OD) x 20 cm Spring-Wire Guide, Marked: .025" (0.64 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End "J" Tip on Other) with Arrow Advancer
- Catheter: 20 Ga. x 1-3/4" (4.45 cm) Radiopaque over 22 Ga. TW Introducer Needle
- Needle Injection Needle: 25 Ga. x 1" (2.54 cm) Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) RW Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm) Pressure Transduction Probe

- 1:
- 1:
- Pressure Transduction Probe Introducer Needle: 20 Ga. x 1-1/2" (3.81 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe Injection Needle: 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe Syringe: 3 mL Luer-Lock Tissue Dilator: 8.5 Fr. (2.8 mm) x 10.2 cm 5 mL 1% Lidocaine HCI Solution and Alcohol Prep 3 mL Applicator 2% CHG and 20% LPA CheraPerce® One Stap Solution 1:

- 1:

- 5 mL 1% Lidocaine HCl Solution and Alcohol Prep
  3 mL Applicator 2% CHG and 70% IPA ChloraPrep<sup>®2</sup> One-Step Solution with Hi-Lite Orange<sup>™</sup> Tint
  Dust Cap: Non-Vented
  SecondSite<sup>™</sup> Adjustable Hub: Fastener
  SecondSite<sup>™</sup> Adjustable Hub: Catheter Clamp
  SharpsAway<sup>®</sup> II Locking Disposal Cup

### Rx only

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.

California Prop. 65

A WARNING: Cancer and Reproductive Harm. www.P65Warnings.ca.gov Not made with natural rubber latex.

Store between 20 - 25°C (68 - 77°F)

Sterilized using ethylene oxide unless otherwise indicated in the contents list.

Fluid path components are non-pyrogenic.

Contraindications: The Arrowg+ard Blue Plus antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs.

Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	
Distal (16 Ga.)	0.39	2283	
Medial (18 Ga.)	0.39	913	
Proximal (18 Ga.)	0.40	996	

† Flow rate values are approximate and are determined using deionized water at 100 cm head height. Priming volumes are approximate and are done without accessories.

> Arrow International LLC Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA

> > **Teleflex**<sup>®</sup> LBL051351 R00 (2021-11)







REF AK-45703-BCDC

7<sup>Fr.</sup> 3<sup>Lumen</sup> 20<sup>cm</sup><sub>catheter</sub> .025<sup>spring-wire</sup>guide





### Arrowg+ard Blue Plus® Three-Lumen CVC