

REF CDC-45703-B1A

3^{Lumen} 20 cm catheter .025 spring-wire auide

1: Medication Label: 1% Lidocaine

1: Surgical Apparel: Bouffant Cap

1: HemoHopper® Fluid Receptacle

2: Gauze Pad: 2" x 2" (5 cm x 5 cm)

Gauze Pad: 4" x 4" (10 cm x 10 cm) Surgical Apparel: Impervious Gown

Surgical Apparel: Mask with Eye Shield

²A trademark of Becton, Dickinson and Company,

3A registered trademark of CareFusion or one of its subsidiaries.

Suture: 3-0 Silk with Curved Needle

1Licensed under US Patent No. 7,329,412.

Arrowg+ard Blue Plus[®] Three-Lumen CVC

5:

1:

1:

1:

Contents:

- 1: Arrowg+ard Blue Plus®1 Three-Lumen Catheter: 7 Fr. (2.5 mm OD) x 20 cm 1: Spring-Wire Guide, Marked: .025" (0.64 mm) dia. x 23-5/8" (60 cm) (Straight
- Soft Tip on One End "J" Tip on Other) with Arrow Advancer Catheter: 20 Ga. x 1-3/4" (4.45 cm) Radiopaque over 22 Ga. TW Introducer 1:
- Needle Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) RW 1:
- Injection Needle: SafetyGlide^{™2} 25 Ga. x 1" (2.54 cm) 1: Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)
- 1: Pressure Transduction Probe
- 1: Introducer Needle: Echogenic 20 Ga. x 1-1/2" (3.81 cm) XTW and 5 mL Arrow® 1: Raulerson Spring-Wire Introduction Syringe
- Injection Needle: SafetyGlide^{™2} 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe
- Syringe: 3 mL Luer-Lock 1.
- 1: Tissue Dilator: 8.5 Fr. (2.8 mm) x 10.2 cm
- 5 mL 1% Lidocaine HCI Solution and Alcohol Prep 1:
- 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®3 One-Step Solution with 1: Hi-Lite Orange™ Tint
- SecondSite[™] Adjustable Hub: Fastener
- SecondSite™ Adjustable Hub: Catheter Clamp 1:
- SharpsAway® Disposal Cup 1:
- SharpsAway® II Locking Disposal Cup 1:
- Maximal Barrier Drape[™] with 4" fenestration 1.
- 1: Needle Holder
- Safety Scalpel: #11 1:
- Checklist/CLIP Sheet 1:
- 1: Sterile Procedure Sign

Not made with natural rubber latex.

Store between 20 - 25°C (68 - 77°F)

Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.

Contraindications: The Arrowg+ard Blue Plus antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs.

Gravity Priming Flow Rate† Volume (mL) (mL/hr) Lumen Distal (16 Ga.) 0.39 2283 Medial (18 Ga.) 0.39 913 Proximal (18 Ga.) 0.40 996

* Priming volumes are approximate and are done without accessories.

+ Flow rate values are approximate and are determined using deionized water at 100 cm head height



Erg[®]Pack

ARRO