







# REF ASK-42703-AKP1A

7<sup>Fr.</sup> 3<sup>Lumen</sup>

16 cm catheter length .032 inch dia. spring-wire guide

## Pressure Injectable Arrowg+ard Blue Plus® Three-Lumen CVC

- 1: Arrowg+ard Blue Plus®1 Three-Lumen Catheter: 7 Fr. (2.5 mm OD) x 16 cm, Pressure Injectable
  1: Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End "J" Tip on Other) with Arrow Advancer
  1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle

- Soft Tip on One End "J" Tip on Other) with Arrow Advancer
  Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer
  Needle
  Injection Needle: SafetyGlide™2 25 Ga. x 1" (2.54 cm)
  Injection Needle: 18 Ga. x 1-1/2" (3.81 cm)
  Instructure Needle: 18 Ga. x 1-1/2" (3.81 cm)
  Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL
  Arrow® Raulerson Spring-Wire Introduction Syringe
  Injection Needle: SafetyGlide™2 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip
  Syringe
  Syringe
  In Needle Holder
  Safety Scalpel: #11
  Setrile Procedure Sign
  Central Line Insertion Checklist
  Medication Label: 1% Lidocaine
  In Redication Label: 1% Lidocaine
  In Redication Label: 1% Lidocaine
  Setrile Procedure Sign
  Central Line Insertion Checklist
  Medication Label: 1% Lidocaine
  In Redication Label: 1% Lidocaine
  In Redication Label: 1% Lidocaine
  Setrile Procedure Sign
  Central Line Insertion Checklist
  Medication Label: 1% Lidocaine
  In Redication Label: 1% Lido

- Syringe
  Syringe: 3 mL Luer-Lock
  Tissue Dilator: 8.5 Fr. (2.8 mm) x 10.2 cm
  5 mL 1% Lidocaine HCl Solution and Alcohol Prep
  3 mL Applicator 2% CHG and 70% IPA ChloraPrep®³ One-Step Solution with
  Hi-Lite Orange™ Tint
  SecondSite™ Adjustable Hub: Fastener
  SecondSite™ Adjustable Hub: Catheter Clamp

- - SharpsAway® Disposal Cup SharpsAway® II Locking Disposal Cup Drape: 41" x 55" with 4" fenestration Needle Holder

- <sup>1</sup>Licensed under US Patent No. 7,329,412.
- <sup>3</sup>A registered trademark of CareFusion or one of its subsidiaries.

Rx only
Warning: Read all package insert warnings, precautions, and
instructions prior to use. Failure to do so may result in severe patient
injury or death.
California Prop. 65

Injury or death.
California Prop. 65

A WARNING: Cancer and Reproductive Harm.
www.P65Warnings.ca.gov

±Precaution: Contains Phthalate: DEHP.

Marning: The results of certain animal experiments have shown phthalates to be potentially toxic to reproduction. Proceeding from the present state of scientific knowledge, risks for male premature infants cannot be excluded in the case of long-term exposure or application. Medical products containing phthalates should be used only temporarily with pregnant women, nursing mothers, babies and infants

Not made with natural rubber latex

Store between 20 – 25°C (68 – 77°F).
Sterilized using ethylene oxide unless otherwise indicated in the contents list.

Fluid path components are non-pyrogenic

Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.

Contraindications: The Arrowg+ard Blue Plus antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs.

Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	MAX Pressure Injection Flow Rate** (mL/sec)
Distal (16 Ga.)	0.38	2490	10
Medial (18 Ga.)	0.37	1162	5
Proximal (18 Ga.)	0.39	1328	5









Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA



LBL053651 R01 (2022-02)







<sup>\*</sup> Priming volumes are approximate and are done without accessories.
† Flow rate values are approximate and are determined using deionized water at 100 cm head height.
\*\* Pressure injection flow rates are determined using media of 11.8 centipoise (cP) viscosity, with 152 cm administration set tubing.