







7^{Fr.} 3^{Lumen}

20 cm catheter length .032 inch dia. spring-wire guide

Pressure Injectable Arrowg+ard Blue Plus® Three-Lumen CVC

- 1: Arrowg+ard Blue Plus®1 Three-Lumen Catheter: 7 Fr. (2.5 mm OD) x 20 cm, Pressure Injectable
 1: Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End "J" Tip on Other) with Arrow Advancer
 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle

- Soft Tip on One End "J" Tip on Other) with Arrow Advancer
 Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer
 Needle
 Injection Needle: SafetyGlide™2 25 Ga. x 1" (2.54 cm)
 Slunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)
 Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL
 Arrow® Raulerson Spring-Wire Introduction Syringe
 Injection Needle: SafetyGlide™2 23 Ga. x 1-1/2" (3.81 cm)
 Suture: 3-0 Silk with Curved Needle
 Suture: 3-0 Silk with Curved Needle

- Syringe
 Syringe: 3 mL Luer-Lock
 Tissue Dilator: 8.5 Fr. (2.8 mm) x 10.2 cm
 5 mL 1% Lidocaine HCl Solution and Alcohol Prep
 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®³ One-Step Solution with
 Hi-Lite Orange™ Tint
 SecondSite™ Adjustable Hub: Fastener
 SecondSite™ Adjustable Hub: Catheter Clamp

- SharpsAway® II Locking Disposal Cup SharpsAway® Disposal Cup Drape: 41" x 55" with 4" fenestration Needle Holder

- ¹Licensed under US Patent No. 7,329,412
- ²A trademark of Becton, Dickinson and Company. ³A registered trademark of CareFusion or one of its subsidiaries.

LOT

Rx only
Warning: Read all package insert warnings, precautions, and
instructions prior to use. Failure to do so may result in severe patient
injury or death.
California Prop. 65

Injury or death.
California Prop. 65

A WARNING: Cancer and Reproductive Harm.
www.P65Warnings.ca.gov

±Precaution: Contains Phthalate: DEHP.

Marning: The results of certain animal experiments have shown phthalates to be potentially toxic to reproduction. Proceeding from the present state of scientific knowledge, risks for male premature infants cannot be excluded in the case of long-term exposure or application. Medical products containing phthalates should be used only temporarily with pregnant women, nursing mothers, babies and infants.

Not made with natural rubber latex

Store between 20 – 25°C (68 – 77°F).
Sterilized using ethylene oxide unless otherwise indicated in the contents list.

Fluid path components are non-pyrogenic

Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.

ontraindications: The Arrowg+ard Blue Plus antimicrobial catheter contraindicated for patients with known hypersensitivity to nlorhexidine, silver sulfadiazine and/or sulfa drugs.

Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	MAX Pressure Injection Flow Rate** (mL/sec)
Distal (16 Ga.)	0.39	2283	10
Medial (18 Ga.)	0.39	913	5
Proximal (18 Ga.)	0.40	996	5



Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA



LBL053653 R03 (2023-12)



M











^{*} Priming volumes are approximate and are done without accessories.
† Flow rate values are approximate and are determined using deionized water at 100 cm head height.
** Pressure injection flow rates are determined using media of 11.8 centipoise (cP) viscosity, with 152 cm administration set tubing.