



REF AU-25122-F

12 Fr. 2 Lumen 20 cm catheter length .035 inch dia. spring-wire guide

Arrowgard Blue® You-Bend™ Two-Lumen Hemodialysis Catheterization for High Volume Infusions

Contents:

- 1: Two-Lumen Catheter†: 12 Fr. (4.06 mm OD) x 20 cm Radiopaque Polyurethane with Blue FlexTip®, Arrowgard® Antimicrobial Surface Treatment, Extension Line Clamps
 - 1: Spring-Wire Guide, Marked: .035" (0.89 mm) dia. x 26-3/4" (68 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer
 - 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
 - 1: Injection Needle: 25 Ga. x 1" (2.54 cm)
 - 1: Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)
 - 1: Pressure Transduction Probe
 - 1: Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe
 - 1: Injection Needle: 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe
 - 1: Syringe: 3 mL Luer-Lock
 - 1: Tissue Dilator: 12 Fr. (4.0 mm) x 14 cm
 - 1: 5 mL 1% Lidocaine HCl Solution and Alcohol Prep
 - 1: 3 mL Applicator 2% CHG and 70% IPA Chloraprep®¹ One-Step Solution with Hi-Lite Orange™ Tint
 - 2: Dust Cap: Non-Vented
 - 1: SharpsAway® Disposal Cup
 - 1: Drape: 24" x 36" (61 cm x 91 cm) with 4" (10 cm) fenestration
 - 1: Scalpel: #11
 - 1: Medication Label: 1% Lidocaine
 - 2: Gauze Pad: 2" x 2" (5 cm x 5 cm)
 - 5: Gauze Pad: 4" x 4" (10 cm x 10 cm)
 - 1: Suture: 3-0 Braided Silk with Straight Needle
- ¹A registered trademark of CareFusion or one of its subsidiaries.

Rx only

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.

California Prop. 65

⚠ WARNING: Cancer and Reproductive Harm.

www.P65Warnings.ca.gov

‡MR Conditional

Not made with natural rubber latex.

Store between 20 – 25°C (68 – 77°F).

Sterilized using ethylene oxide unless otherwise indicated in the contents list.

Fluid path components are non-pyrogenic.

Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.

Contraindications: The Arrow large-bore two-lumen catheter is not designed for long-term (≥ 30 days) hemodialysis or for use in patients with thrombosed vessels.

The Arrowgard Blue antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine, and/or sulfa drugs.




Lumen

| Lumen | Priming Volume* (mL) | Flow Rate (mL/min) | Venous Pressure Setting†† (mmHg) |
|-------------------|----------------------|--------------------|----------------------------------|
| Distal (12 Ga.) | 1.8 | 200 | 100 |
| | | 340 | 200 |
| Proximal (12 Ga.) | 1.7 | 200 | 100 |
| | | 340 | 200 |

* Priming volumes are approximate and are done without accessories.

†† Blood flow rates are approximate and were determined by varying the venous pressure setting from 100 to 200 mmHg in an in vitro experiment using blood analog solution.



Arrow International LLC
Subsidiary of Teleflex Incorporated
3015 Carrington Mill Blvd.
Morrisville, NC 27560 USA



LBL057101 R00 (2022-03)



Arrowgard Blue® You-Bend™ Two-Lumen Hemodialysis Catheterization for High Volume Infusions

REF AU-25122-F

12 Fr. 2 Lumen 20 cm catheter length .035 inch dia. spring-wire guide