



REF NA-09903-CDC

9 Fr. 10 cm sheath length .035 inch dia. spring-wire guide

PSI for use with 7.5 - 8 Fr. Catheters

- Contents:
- 1: Arrow-Flex® Sheath: 9 Fr. (2.9 mm tip ID) x 10 cm and Tissue Dilator

1: Spring-Wire Guide, Marked: .035" (0.89 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer

1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle

1: Injection Needle: SafetyGlide™ 1 25 Ga. x 1" (2.54 cm)

1: Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)

1: Pressure Transduction Probe

1: Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe

1: Injection Needle: SafetyGlide™ 1 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe

1: Syringe: 3 mL Luer-Lock

1: 5 mL 1% Lidocaine HCl Solution and Alcohol Prep

1: 3 mL Applicator 2% CHG and 70% IPA ChloraPrep® 2 One-Step Solution with Hi-Lite Orange™ Tint

1: Obturator: 8 Fr.

1: Cath-Gard® Catheter Contamination Shield: 80 cm with TwistLock™ Adapter

1: Dust Cap: Non-Vented

1: SharpsAway® Disposal Cup

1: SharpsAway® II Locking Disposal Cup

1: Drape: 41" x 55" with 4" fenestration

1: Needle Holder

1: Safety Scalpel: #11

1: Stopcock: 4-way High-Flow

1: Medication Label: 1% Lidocaine

2: Gauze Pad: 2" x 2" (5 cm x 5 cm)

5: Gauze Pad: 4" x 4" (10 cm x 10 cm)


1: Suture: 3-0 Silk with Curved Needle

1: Tubing±: 20" (50 cm) Extension

1A trademark of Becton, Dickinson and Company.

2A registered trademark of CareFusion or one of its subsidiaries.

Rx only
Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU
California Prop. 65
⚠ **WARNING:** Cancer and Reproductive Harm.
www.P65Warnings.ca.gov
±**Precaution:** Contains Phthalate: DEHP.
Warning: The results of certain animal experiments have shown phthalates to be potentially toxic to reproduction. Proceeding from the present state of scientific knowledge, risks for male premature infants cannot be excluded in the case of long-term exposure or application. Medical products containing phthalates should be used only temporarily with pregnant women, nursing mothers, babies and infants.
Not made with natural rubber latex.
Store between 20 – 25°C (68 – 77°F).
Sterilized using ethylene oxide unless otherwise indicated in the contents list.
Fluid path components are non-pyrogenic.
Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.



Arrow International LLC
Subsidiary of Teleflex Incorporated
3015 Carrington Mill Blvd.
Morrisville, NC 27560 USA
Teleflex®
www.teleflex.com
LBL058301 R01 (2022-03)



REF NA-09903-CDC

9 Fr. 10 cm sheath length .035 inch dia. spring-wire guide

PSI for use with 7.5 - 8 Fr. Catheters