



Accessory




Marked Spring-Wire Guide with Arrow Advancer
SPRING WIRE GUIDE COMPONENT

SKU / ARTICLE #: AW-04225




Marked Spring-Wire Guide with Arrow Advancer
SPRING WIRE GUIDE COMPONENT

SKU / ARTICLE #: AW-14725




Marked Spring-Wire Guide with Arrow Advancer
SPRING WIRE GUIDE COMPONENT

SKU / ARTICLE #: AW-04435




Marked Spring-Wire Guide with Arrow Advancer
SPRING WIRE GUIDE COMPONENT

SKU / ARTICLE #: AW-14735



Marked Spring-Wire Guide with Arrow Advancer
Maximum OD per ISO 11070 is 0.82 mm.
SPRING WIRE GUIDE COMPONENT

SKU / ARTICLE #: AW-14732



Marked Spring-Wire Guide with Arrow Advancer
Maximum OD per ISO 11070 is 0.82 mm.
SPRING WIRE GUIDE COMPONENT

SKU / ARTICLE #: AW-04432



Maximal Barrier Drape
DRAPE COMM: 68" X 110" W/4" FEN

SKU / ARTICLE #: ASK-00001-1A



Maximal Barrier Drape

MAX BARRIER DRAPE

SKU / ARTICLE #: ASK-00002-1A



Nitinol Marked Spring-Wire Guide with Arrow[®]
GlideWheel[™] Wire Advancer Maximum OD per ISO
11070 is 0.64 mm.

SPRING WIRE GUIDE COMPONENT

SKU / ARTICLE #: AW-15703-N



Nitinol Marked Spring-Wire Guide with Arrow[®]
GlideWheel[™] Wire Advancer Maximum OD per ISO
11070 is 0.82 mm.

SPRING WIRE GUIDE COMPONENT

SKU / ARTICLE #: AW-04432-N