




Vascular Access Product Catalog

Home / PICC / PR-35552-HPHNL







Representative photo(s): actual product specifications may vary from that shown in the photo

Pressure Injectable Two-Lumen PICC with 130 cm Wire

PI PICC 2L 5FRX55CM W/130CM HYDR NIT SWG

SKU / Article #: PR-35552-HPHNL

Highlights

CE Mark

Considerations

Not made with natural rubber latex. ###MR Safe

Sales Quantity/Case: 5

Pressure Injectable Two-Lumen PICC with 130 cm Wire SKU / Article #: PR-35552-HPHNL Quantity Component Description Two Lumen TaperFree® Catheter: 5 Fr. (1.81 mm OD) x 55 cm, Pressure Injectable, Blue FlexTip® and 1 **Contamination Guard** GlideThru[™] Peel-Away Sheath: 5 Fr. x 4" (10 cm) Radiopaque over 5 Fr. Dilator 1 Spring-Wire Guide, Nitinol, Marked: .018" (0.46 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - Straight 1 Stiff Tip on Other) Guidewire, Marked: .018" (0.46 mm) dia. x 130 cm Hydrophilic-Coated Nitinol with Soft Tip Tungsten Coil 1 1 Introducer Needle: Echogenic 21 Ga. x 2-3/4" (7 cm) TW 1 Syringe: 10 mL Luer-Lock 2 Dust Cap: Non-Vented 1 SecondSite[™] Adjustable Hub: Fastener SecondSite[™] Adjustable Hub: Catheter Clamp 1 1 Catheter Trimmer 1 Safety Scalpel: #11 1 Patient ID Card Chart Sticker 1 1 Patient Information Booklet 1 Checklist/CLIP Sheet 1 Paper Tape Measure Dressing: STATLOCK®1 PICC Plus Catheter Stabilization Device 1

Documents













The products in this catalog may not be available in all countries. Please contact your local representative.

¹ A registered trademark of C. R. Bard, Inc.

Indications, contraindications, warnings and instructions for use can be found in the Product Instructions for Use available under the Documents section on this page, where an IFU is available.

© 2024 Teleflex Incorporated. All Rights Reserved.