



REF CDC-22122-X1A

12^{Fr.} 2^{Lumen} 16^{cm} catheter length .035^{inch dia.} spring-wire guide

ARROW®

ErgoPack®

Arrowg+ard Blue® Two-Lumen Hemodialysis Catheterization for High Volume Infusions

Contents:

- | | |
|--|---|
| 1: Two-Lumen Catheter: 12 Fr. (4.06 mm OD) x 16 cm Radiopaque Polyurethane with Blue FlexTip®, Arrowg+ard® Antimicrobial Surface Treatment | 1: SharpsAway® II Locking Disposal Cup |
| 1: Spring-Wire Guide, Marked: .035" (0.89 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer | 1: Maximal Barrier Drape™ with 4" fenestration |
| 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle | 1: Towel |
| 1: Injection Needle: SafetyGlide™ ¹ 25 Ga. x 1" (2.54 cm) | 1: Needle Holder |
| 1: Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm) | 1: Safety Scalpel: #11 |
| 1: Pressure Transduction Probe | 1: Checklist/CLIP Sheet |
| 1: Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe | 1: Sterile Procedure Sign |
| 1: Injection Needle: SafetyGlide™ ¹ 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe | 1: Medication Label: 1% Lidocaine |
| 1: Syringe: 3 mL Luer-Lock | 2: Gauze Pad: 2" x 2" (5 cm x 5 cm) |
| 1: Tissue Dilator: 10 Fr. (3.5 mm) x 10.2 cm | 5: Gauze Pad: 4" x 4" (10 cm x 10 cm) |
| 1: Tissue Dilator: 12 Fr. (4.0 mm) x 14 cm | 1: Dressing: Tegaderm® ³ 10 cm x 12 cm |
| 2: 10 mL Luer-Lock Pre-Filled Saline Syringe | 1: Surgical Apparel: Impervious Gown |
| 1: 5 mL 1% Lidocaine HCl Solution and Alcohol Prep | 1: Dressing: BIOPATCH® ⁴ |
| 1: 3 mL Applicator 2% CHG and 70% IPA ChloraPrep® ² One-Step Solution with Hi-Lite Orange™ Tint | 1: Surgical Apparel: Bouffant Cap |
| 1: SharpsAway® Disposal Cup | 1: Surgical Apparel: Mask with Eye Shield |
| | 1: Suture: 3-0 Braided Silk with Straight Needle |
| | 1: Suture: 3-0 Silk with Curved Needle |
| | 1: HemoHopper® Fluid Receptacle |

⁴A registered trademark of Johnson & Johnson Corporation.

Not made with natural rubber latex.

Store between 20 – 25°C (68 – 77°F).

Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.

Contraindications: The Arrow large-bore two-lumen catheter is not designed for long-term (≥ 30 days) hemodialysis or for use in patients with thrombosed vessels.


The Arrowg+ard Blue antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine, and/or sulfa drugs.



Priming Volume*

Distal	1.40 mL
Proximal	1.30 mL

*Priming volumes are approximate and are done without accessories.



† In vitro tests performed using 3:1 glycerine/saline at 37°C.



LBL057053 R00 (2022-02)